Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3033633	memory or storage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:32
L2	407	1 and determin\$5 with resistance with cell with (on or off or "1" or "0" or high or low)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:48
L3	5	2 and (on or off or "1" or "0" or high or low) with resistance with (outside or lower or upper) with range	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:35
L4	0	3 and shift\$5 with resistance with reset adj pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:36
L5	1	3 and restor\$5 with resistance with reset adj pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:37
L7	0	1 and compar\$5 with resistance with cell with reference adj resistance adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:39
L8	1	1 and compar\$5 with resistance with cell with resistance adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:41
L9	0	1 and determin\$5 with pcram with cell with program\$6 with high adj resistance with deviat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:42
L10 ,	0	1 and determin\$5 with cell with program\$6 with high adj resistance with deviat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:42
L11	0	2 and pulse with (duration or width) with shift	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:45
L12	0	1 and period\$6 with algorithm with resistance with pulse with (duration or width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:47
L13	0	1 and period\$6 with resistance with pulse with (duration or width) with shift\$5 with original\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/20 17:47

L14	1	1 and determin\$5 with resistance	US-PGPUB;	OR	ON	2005/02/20 17:49
		with cell with (on or off or "1" or "0" or high or low) with (outside or lower or upper) with range	USPAT; EPO; JPO; DERWENT			